			A D	
L Number	Hits	Search Text	DB	Time stamp
7	12549279	US- 4,582,985	USPAT;	2004/06/08 13:49
		US- 5,623,552	US-PGPUB;	
		US- 6,353,889 B1	EPO; JPO;	
			DERWENT;	
8	168	"4582985"	IBM_TDB USPAT;	2004/06/08 13:53
0	100	4362363 "5623552"	US-PGPUB;	2004/00/00 13.33
		"6353889"	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
9	38	"0104534"	USPAT;	2004/06/08 13:55
			US-PGPUB;	
			EPO; JPO; DERWENT;	
			IBM TDB	
10	3	US-0104534-\$.DID. OR US-2312040-\$.DID. OR	USPAT;	2004/06/08 13:58
		US-2348309-\$.DID.	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
1.1	20	HC 4016652 C DID OD HC 4016654 C DID OD	IBM_TDB USPAT;	2004/06/08 13:59
11	29	US-4816653-\$.DID. OR US-4816654-\$.DID. OR US-5579393-\$.DID. OR US-5613012-\$.DID. OR	USPAT; US-PGPUB;	2004/00/00 13:39
		US-5787186-\$.DID. OR US-5823948-\$.DID. OR	EPO; JPO;	
		US-6016476-\$.DID. OR US-6018801-\$.DID. OR	DERWENT;	
		US-6037879-\$.DID. OR US-0603921-\$.DID. OR	IBM TDB	
		US-6040783-\$.DID. OR US-6045039-\$.DID. OR	_	
		US-6092202-\$.DID. OR US-6122625-\$.DID. OR		
1		US-6131090-\$.DID.		2004/06/02 00 00
_	168	real adj time adj verification	USPAT; US-PGPUB;	2004/06/02 09:09
			EPO; JPO;	
		•	DERWENT;	
			IBM TDB	
-	111	(real adj time adj verification) and @ad <	USPAT;	2004/06/02 11:56
ł	İ	"20010210"	US-PGPUB;	
			EPO; JPO;	
			DERWENT; IBM TDB	
_	1970	 base near8 transaction	USPAT;	2004/06/02 11:55
	13,0	babo nouto ctanoacton	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	0004/06/00 11 56
-	100	(base near8 transaction) and biometr\$3	USPĀT; US-PGPUB;	2004/06/02 11:56
			EPO; JPO;	
	İ		DERWENT;	
-			IBM TDB	
-	64	((base near8 transaction) and biometr\$3)	USPAT;	2004/06/02 11:57
		and @ad < "20010210"	US-PGPUB;	
			EPO; JPO;	
	1		DERWENT; IBM TDB	
_	0	"09733516"	USPAT;	2004/06/02 13:12
		03733310	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	2004/06/20 12 12
-	0	09733516.pn.	USPAT; US-PGPUB;	2004/06/02 13:12
			EPO; JPO;	
			DERWENT;	
			IBM TDB	
_	4	733516.ap.	USPĀT;	2004/06/02 13:15
			US-PGPUB;	
			EPO; JPO;	
4			DERWENT;	
	L		IBM TDB	I

_ ``		11.627.007.211	HCDAM.	2004/06/02 13:20
_	8	"6378073"	USPAT; US-PGPUB;	2004/06/02 13:20
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	4	775205.ap.	USPAT;	2004/06/02 13:20
			US-PGPUB;	
			EPO; JPO;	
			DERWENT; IBM TDB	
_	4	733516.ap.	USPAT;	2004/06/02 15:58
	1	733310.ap.	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	0	733516.ap. and (digital adj signature)	USPAT;	2004/06/02 15:59
			US-PGPUB;	
			EPO; JPO;	
			DERWENT; IBM TDB	
	0	733516.ap. and ((digital near8 signature)	USPAT;	2004/06/02 16:00
_		near8 (private adj key))	US-PGPUB;	2001,00,02 20.00
		monto (brando ad) nolli	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	0	733516.ap. and (private adj key)	USPAT;	2004/06/02 16:03
			US-PGPUB;	
			EPO; JPO;	
			DERWENT; IBM TDB	
	1	733516.ap. and (private adj keys)	USPAT;	2004/06/02 16:04
_	Τ.	/33310.ap. and (private ad) keys/	US-PGPUB;	2001,00,02 10.01
		·	EPO; JPO;	
			DERWENT;	
1			IBM_TDB	
-	444	biometric adj authentication\$1	USPAT;	2004/06/02 16:22
			US-PGPUB;	
			EPO; JPO;	·
			DERWENT; IBM TDB	
	137	(biometric adj authentication\$1) and @ad <	USPAT;	2004/06/04 16:01
_	137	"20010201"	US-PGPUB;	
		20010201	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	29		USPAT;	2004/06/02 16:23
		< "20010201") and (private adj key)	US-PGPUB;	
			EPO; JPO; DERWENT;	
			IBM TDB	
_	23	(((biometric adj authentication\$1) and @ad	USPAT;	2004/06/02 16:26
1		< "20010201") and (private adj key)) and	US-PGPUB;	
		transaction\$3	EPO; JPO;	
			DERWENT;	
	1		IBM_TDB	0001/05/55 55 55
-	17	((((biometric adj authentication\$1) and	USPAT;	2004/06/02 16:31
		@ad < "20010201") and (private adj key))	US-PGPUB;	
		and transaction\$3) and (digital adj	EPO; JPO; DERWENT;	
		signature)	IBM TDB	
_	1232	. (digital adj signature) near8 (private adj	USPAT;	2004/06/02 16:32
	1232	key)	US-PGPUB;	
		1,	EPO; JPO;	
	1		DERWENT;	
1			IBM_TDB	0004/06/00 15 00
-	622	((digital adj signature) near8 (private	USPAT;	2004/06/02 16:33
		adj key)) and @ad < "20010201"	US-PGPUB; EPO; JPO;	
			DERWENT;	
			IBM TDB	
L	1			

-	56	(((digital adj signature) near8 (private adj key)) and @ad < "20010201") and	USPAT; US-PGPUB;	2004/06/02 17:01
		biometric	EPO; JPO;	
			DERWENT; IBM TDB	
_	51	((((digital adj signature) near8 (private	USPAT;	2004/06/02 17:05
		adj key)) and @ad < "20010201") and	US-PGPUB;	
		biometric) and ((public adj key) near8 (private adj key))	EPO; JPO; DERWENT;	
		(pilvace adj kej//	IBM_TDB	
_	31	(((((digital adj signature) near8 (private	USPAT; US-PGPUB;	2004/06/02 17:12
		adj key)) and @ad < "20010201") and biometric) and ((public adj key) near8	EPO; JPO;	
·		(private adj key))) and (verify\$3 near4	DERWENT;	
	2.7	<pre>(public adj key)) (((((digital adj signature) near8 (private</pre>	<pre>IBM_TDB USPAT;</pre>	2004/06/03 13:09
_	37	adj key)) and @ad < "20010201") and	US-PGPUB;	2004/00/03 15:03
		biometric) and ((public adj key) near8	EPO; JPO;	
		(private adj key))) and (verify\$3 near8	DERWENT; IBM TDB	
_	137	(public adj key)) envelop adj detection\$3	USPAT;	2004/06/03 13:10
		,	US-PGPUB;	
			EPO; JPO; DERWENT;	
			IBM_TDB	
_	120	(envelop adj detection\$3) and @ad <	USPĀT;	2004/06/04 12:23
		"20010201"	US-PGPUB; EPO; JPO;	
			DERWENT;	
			IBM_TDB	0004/06/02 12-11
-	1	((envelop adj detection\$3) and @ad < "20010201") and transaction\$3	USPAT; US-PGPUB;	2004/06/03 13:11
		"20010201") and transactions	EPO; JPO;	
			DERWENT;	
	2	((envelop adj detection\$3) and @ad <	IBM_TDB USPAT;	2004/06/03 13:41
_	2	"20010201") and security	US-PGPUB;	2001, 00, 11
			EPO; JPO;	
			DERWENT; IBM TDB	
_	3	((envelop adj detection\$3) and @ad <	USPĀT;	2004/06/03 13:48
		"20010201") and (access adj control\$3)	US-PGPUB; EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	741	(radio adj frequency adj detection) or RFD	USPAT; US-PGPUB;	2004/06/03 13:48
			EPO; JPO;	
			DERWENT;	
	570	((radio adj frequency adj detection) or	IBM_TDB USPAT;	2004/06/03 13:50
_	570	RFD) and @ad < "20010201"	US-PGPUB;	
		,	EPO; JPO;	
			DERWENT; IBM TDB	
	56	(((radio adj frequency adj detection) or	USPAT;	2004/06/03 14:11
		RFD) and @ad < "20010201") and envelop\$3	US-PGPUB;	
			EPO; JPO; DERWENT;	
			IBM_TDB	
_	52081	access adj control\$4	USPAT;	2004/06/03 14:11
			US-PGPUB; EPO; JPO;	
			DERWENT;	
			IBM_TDB	2004/06/03 14:12
-	9966	(access adj control\$4) and wireless	USPAT; US-PGPUB;	2004/00/03 14:12
1.		-	EPO; JPO;	
			DERWENT;	
			IBM TDB	<u> </u>

-	4044	((access adj control\$4) and wireless) and ((radio adj frequency) or RF)	USPAT; US-PGPUB; EPO; JPO;	2004/06/03 14:12
			DERWENT; IBM TDB	
_	1326	(((access adj control\$4) and wireless) and	USPĀT;	2004/06/03 14:13
		((radio adj frequency) or RF)) and ((base adj unit) or (base adj station))	US-PGPUB; EPO; JPO;	
		adjulite, of (base adj station)	DERWENT;	
	643	((((access adj control\$4) and wireless)	IBM_TDB USPAT;	2004/06/03 16:01
	043	and ((radio adj frequency) or RF)) and	US-PGPUB;	2001, 00, 00
		((base adj unit) or (base adj station))) and @ad < "20010201"	EPO; JPO; DERWENT;	
			IBM_TDB	0004/05/00 14 00
_	9	(((((access adj control\$4) and wireless) and ((radio adj frequency) or RF)) and	USPAT; US-PGPUB;	2004/06/03 14:28
		((base adj unit) or (base adj station)))	EPO; JPO;	
		and @ad < "20010201") and biometr\$3	DERWENT; IBM TDB	
-	0	((((((access adj control\$4) and wireless)	USPAT;	2004/06/03 14:28
,		and ((radio adj frequency) or RF)) and ((base adj unit) or (base adj station)))	US-PGPUB; EPO; JPO;	
		and @ad < "20010201") and biometr\$3) and	DERWENT;	
_	0	envelop\$3 ((((((access adj control\$4) and wireless)	IBM_TDB USPAT;	2004/06/03 14:29
		and ((radio adj frequency) or RF)) and	US-PGPUB; EPO; JPO;	
		((base adj unit) or (base adj station))) and @ad < "20010201") and biometr\$3) and	DERWENT;	
		envelope ((((((access adj control\$4) and wireless)	IBM_TDB USPAT;	2004/06/03 14:32
_	9	and ((radio adj frequency) or RF)) and	US-PGPUB;	2004/00/03 11:32
		((base adj unit) or (base adj station))) and @ad < "20010201") and biometr\$3) and	EPO; JPO; DERWENT;	ļ
		detection	IBM_TDB	
-	8	(((((((access adj control\$4) and wireless) and ((radio adj frequency) or RF)) and	USPAT; US-PGPUB;	2004/06/03 15:59
		((base adj unit) or (base adj station)))	EPO; JPO;	
		and @ad < "20010201") and biometr\$3) and detection) and power	DERWENT; IBM TDB	
_	0	·	USPĀT;	2004/06/03 15:59
			US-PGPUB; EPO; JPO;	ļ
			DERWENT; IBM TDB	
_	5246	central adj server	USPAT;	2004/06/03 16:00
			US-PGPUB; EPO; JPO;	
			DERWENT;	
_	24	(central adj server) and security adj	IBM_TDB USPAT;	2004/06/03 16:00
	2.4	manager	US-PGPUB;	
		·	EPO; JPO; DERWENT;	
		(/, , , , , , , , , , , , , , , , , , ,	IBM_TDB USPAT;	2004/06/03 16:01
_	14	((central adj server) and security adj manager) and identifier\$3	US-PGPUB;	2004/00/03 10:01
			EPO; JPO; DERWENT;	
			IBM_TDB	
-	2	<pre>(((central adj server) and security adj manager) and identifier\$3) and @ad <</pre>	USPAT; US-PGPUB;	2004/06/03 16:03
		"20010201"	EPO; JPO;	
			DERWENT; IBM TDB	
-	1		USPĀT;	2004/06/04 11:55
		manager) and identifier\$3) and @ad < "20010201") and wireless	US-PGPUB; EPO; JPO;	
		,	DERWENT; IBM TDB	
	<u> </u>		T T DIT I DD	

-	416	((base adj station) or (base adj unit)) and (envelop\$3 adj detect\$4)	USPAT; US-PGPUB; EPO; JPO;	2004/06/04 12:22
			DERWENT;	
			IBM_TDB	0004/06/04 10 00
_	0	(((base adj station) or (base adj unit)) and (envelop\$3 adj detect\$4)) and	USPAT; US-PGPUB;	2004/06/04 12:20
		biometer\$3	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	0	(((base adj station) or (base adj unit))	USPAT;	2004/06/04 12:20
		and (envelop\$3 adj detect\$4)) and biometr\$3	US-PGPUB; EPO; JPO;	
		Diometry	DERWENT;	
			IBM_TDB	
-	0	(((base adj station) or (base adj unit))	USPAT;	2004/06/04 12:21
		and (envelop\$3 adj detect\$4)) and	US-PGPUB;	
		biometric	EPO; JPO; DERWENT;	
			IBM TDB	
_	0	(((base adj station) or (base adj unit))	USPAT;	2004/06/04 12:21
		and (envelop\$3 adj detect\$4)) and	US-PGPUB;	
	:	biometric	EPO; JPO;	
			DERWENT; IBM TDB	
_	8	(((base adj station) or (base adj unit))	USPAT;	2004/06/04 12:23
		and (envelop\$3 adj detect\$4)) and (access	US-PGPUB;	
]	adj control\$3)	EPO; JPO;	
			DERWENT;	
	7	((((base adj station) or (base adj unit))	IBM_TDB USPAT;	2004/06/04 13:19
	′	and (envelop\$3 adj detect\$4)) and (access	US-PGPUB;	2004/00/04 13.13
		adj control\$3)) and @ad < "20010201"	EPO; JPO;	
			DERWENT;	
	27.6	///hana adi station) ay (basa adi unit))	IBM_TDB	2004/06/04 14-02
-	276	(((base adj station) or (base adj unit)) and (envelop\$3 adj detect\$4)) and @ad <	USPAT; US-PGPUB;	2004/06/04 14:02
		"20010201"	EPO; JPO;	
			DERWENT;	
	10100		IBM_TDB	0004/05/04 12 11
_	10423	identifier and (access adj control\$3)	USPAT; US-PGPUB;	2004/06/04 13:41
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	5673	1 ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' '	USPAT;	2004/06/04 13:44
		and @ad < "20010201"	US-PGPUB; EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	551	((identifier and (access adj control\$3))	USPĀT;	2004/06/04 13:58
		and @ad < "20010201") and ((base adj unit)	US-PGPUB; EPO; JPO;	
		or (base adj station))	DERWENT;	
			IBM TDB	
-	2	(((identifier and (access adj control\$3))	USPĀT;	2004/06/04 13:52
		and @ad < "20010201") and ((base adj unit)	US-PGPUB;	
		or (base adj station))) and (envelope adj detect\$4)	EPO; JPO; DERWENT;	
		WELECLY4/	IBM TDB	
_	2314	((control\$4 adj access\$3) near4 (network	USPAT;	2004/06/04 14:00
		or internet))	US-PGPUB;	
			EPO; JPO;	
			DERWENT; IBM TDB	
_	768	(((control\$4 adj access\$3) near4 (network	USPAT;	2004/06/04 14:01
		or internet))) and identifier	US-PGPUB;	
			EPO; JPO;	
			DERWENT; IBM TDB	
L	<u> </u>		TDM_IDB	L

=	0	((((control\$4 adj access\$3) near4 (network	USPAT;	2004/06/04 14:01
		or internet))) and identifier) and (envelope adj detect\$4)	US-PGPUB; EPO; JPO;	
		(envelope ad) detect44)	DERWENT;	
			IBM TDB	
_	0	((((control\$4 adj access\$3) near4 (network	USPAT;	2004/06/04 14:01
		or internet))) and identifier) and	US-PGPUB;	
		(envelope adj detection)	EPO; JPO;	
			DERWENT;	
_	8	(((((control\$4 adj access\$3) near4	IBM_TDB USPAT;	2004/06/04 14:17
		(network or internet))) and identifier)	US-PGPUB;	2001/00/01 11:1/
		and (base adj unit)) and @ad < "20010201"	EPO; JPO;	
		-	DERWENT;	
			IBM_TDB	
-	92	1 ,	USPAT;	2004/06/04 14:17
		station) or (base adj unit))	US-PGPUB; EPO; JPO;	
			DERWENT;	
			IBM TDB	
_	53	((detection near envelope) and ((base adj	USPAT;	2004/06/04 14:39
1		station) or (base adj unit))) and @ad <	US-PGPUB;	
	1	"20010201"	EPO; JPO;	
			DERWENT;	
1_	1	(((detection near envelope) and ((base adj	IBM_TDB USPAT;	2004/06/04 14:30
-		station or (base adj unit))) and @ad <	US-PGPUB;	2004/00/04 14:50
		"20010201") and identifier	EPO; JPO;	
		·	DERWENT;	
			IBM_TDB	
-	7	131348.ap.	USPAT;	2004/06/04 14:30
			US-PGPUB; EPO; JPO;	
			DERWENT;	
			IBM TDB	
_	11	((((control\$4 adj access\$3) near4 (network	USPĀT;	2004/06/04 14:33
		or internet))) and identifier) and (base	US-PGPUB;	
		adj unit)	EPO; JPO;	
			DERWENT; IBM TDB	
_	101148	(base adj unit) or (base adj station)	USPAT;	2004/06/04 14:34
	101140	(base adj dille) of (base adj sederon)	US-PGPUB;	2001,00,01 21,01
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	0004/06/04 14 24
_	3340		USPAT; US-PGPUB;	2004/06/04 14:34
		and (access adj control\$3)	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	1		USPAT;	2004/06/04 14:36
	1	and (access adj control\$3)) and (envelope	US-PGPUB;	
1	1	near4 detection) and (identif\$7)	EPO; JPO; DERWENT;	
			IBM TDB	
_	1	(((base adj unit) or (base adj station))	USPAT;	2004/06/04 14:38
		and (access adj control\$3)) and (envelope	US-PGPUB;	
-	1	near4 detection)	EPO; JPO;	
			DERWENT;	
	2255	///hase add unit) or /hase add station))	IBM_TDB USPAT;	2004/06/04 14:39
-	2255	(((base adj unit) or (base adj station)) and (access adj control\$3)) and identif\$4	US-PGPUB;	2004/00/04 14:39
		and (docoss day concretely), and radicity	EPO; JPO;	
			DERWENT;	
	1		IBM_TDB	
-	1156	((((base adj unit) or (base adj station))	USPAT;	2004/06/04 14:39
		and (access adj control\$3)) and identif\$4)	US-PGPUB;	
		and @ad < "20010201"	EPO; JPO; DERWENT;	
			IBM TDB	
L	L		1	L

-	15	(((((base adj unit) or (base adj station))	USPAT;	2004/06/04 14:54
		and (access adj control\$3)) and identif\$4)	US-PGPUB;	
		and @ad < "20010201") and biometric	EPO; JPO;	
			DERWENT;	
	İ		IBM TDB	
-	3	"6578073"	USPAT;	2004/06/04 14:54
			US-PGPUB;	2004/00/04 14:54
			EPO; JPO;	
	1		DERWENT;	
		W. CO. T. O.	IBM_TDB	
-	8	"6378073"	USPAT;	2004/06/04 16:00
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM TDB	
-	3970	network adj storage	USPAT;	2004/06/04 16:00
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM TDB	
1_	1897	(network adj storage) and @ad < "20010201"	USPAT;	2004/06/04 16:01
-	109/	(network adj storage) and ead < "20010201"	•	2004/06/04 16:01
	1		US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	17	((network adj storage) and @ad <	USPAT;	2004/06/04 16:06
		"20010201") and (private adj key) and	US-PGPUB;	
		(public adj key)	EPO; JPO;	
1		1	DERWENT;	
			IBM TDB	
_	10	(((network adj storage) and @ad <	USPAT;	2004/06/04 17:46
	1	"20010201") and (private adj key) and	US-PGPUB;	2004/00/04 17:40
		(public adj key)) and identif\$5	EPO; JPO;	
		(public adj key)) and identifys		
1			DERWENT;	
			IBM_TDB	0004/06/04 17 17
-	1	((((network adj storage) and @ad <	USPAT;	2004/06/04 17:47
		"20010201") and (private adj key) and	US-PGPUB;	
1		(public adj key)) and identif\$5) and	EPO; JPO;	ļ
	1	biometric	DERWENT;	1
			IBM_TDB	
-	1	(((((network adj storage) and @ad <	USPĀT;	2004/06/04 18:33
		"20010201") and (private adj key) and	US-PGPUB;	
		(public adj key)) and identif\$5) and	EPO; JPO;	1
		biometric) and (finger adj print)	DERWENT;	
		, (g a, p,	IBM TDB	
1_	1	(((((network adj storage) and @ad <	USPAT;	2004/06/04 18:33
1		"20010201") and (private adj key) and	US-PGPUB;	2004/00/04 10:33
		(public adj key)) and identif\$5) and		
			EPO; JPO;	
		biometric) and (finger adj print)) and	DERWENT;	
	i	security	IBM_TDB	
_	1	((((((network adj storage) and @ad <	USPAT;	2004/06/04 18:33
		"20010201") and (private adj key) and	US-PGPUB;	
		(public adj key)) and identif\$5) and	EPO; JPO;	
		biometric) and (finger adj print)) and	DERWENT;	
		security) and server	IBM TDB	
·		<u></u>		·